




Coal Remining Statistical Support Document



COAL REMINING
STATISTICAL SUPPORT DOCUMENT

DECEMBER 2001

Office of Water
Office of Science and Technology
Engineering and Analysis Division
U.S. Environmental Protection Agency
Washington, DC 20460

Acknowledgments

This document was developed under the direction of William A. Telliard and John F. Fox of the Engineering and Analysis Division (EAD) within the U.S. Environmental Protection Agency's (EPA's) Office of Science and Technology (OST). EPA gratefully acknowledges the determined efforts of Roger Hornberger, Michael W. Smith, Daniel J. Koury, and J. Corey Cram of Pennsylvania's Department of Environmental Protection (PADEP) for their contributions in making this document possible. EPA also wishes to thank DynCorp Information and Enterprise Technology for its invaluable support.

Disclaimer

The statements in this document are intended solely as guidance. This document is not intended, nor can it be relied upon, to create any rights enforceable by any party in litigation with the United States. EPA may decide to follow the draft guidance provided in this document, or to act at variance with the guidance, based on its analysis of the specific facts presented. This draft guidance is being issued in connection with the proposed amendments to the Coal Mining Point Source Category. EPA has solicited public comment on the information contained in the proposal. This guidance may be revised to reflect changes in EPA's approach. The changes in EPA's approach will be presented in a future public notice.

The primary contact regarding questions or comments on this document is:

John F. Fox
Engineering and Analysis Division (4303)
U.S. Environmental Protection Agency
Ariel Rios Building, 1200 Pennsylvania Avenue, N.W.
Washington, DC 20460
Phone: 202/260-9889
Fax: 202/260-7185
email: fox.john@epamail.epa.gov

TABLE OF CONTENTS

	Page
LIST OF TABLES	<i>iii</i>
LIST OF FIGURES	<i>v</i>
Section 1.0 Introduction	1-1
1.1 Remining Program History	1-2
1.2 Pennsylvania DEP Remining Permitting Procedures	1-4
1.2.1 Pre-existing Discharges	1-4
1.2.2 Baseline Pollution Load-Determination and Compliance Monitoring ..	1-5
1.3 IMCC Evaluation of State Remining Programs	1-13
References	1-15
Section 2.0 Characteristics of Coal Mine Drainage Discharges	2-1
2.1 Impact of Stream Flow Variation on Water Quality Parameters	2-9
2.2 AMD Discharge Types and Behaviors	2-13
2.3 Distributional Properties of AMD Discharges	2-18
References	2-23
Section 3.0 Statistical Methodology for Establishing Baseline Conditions and Setting Discharge Limits at Remining Sites	3-1
3.1 Objectives, Statistical Principles, and Statistical Issues	3-1
3.2 Statistical Procedures for Calculating Limits from Baseline Data	3-3
3.2.1 Method 1	3-4
3.2.2 Method 2	3-5
3.2.3 Accelerated Monitoring	3-5
References	3-8
Section 4.0 Baseline Sampling Duration and Frequency	4-1
4.1 Power and Sample Size	4-1
4.2 Sampling Plan	4-5
References	4-7
Section 5.0 Long-term Monitoring Case Studies	5-1
5.1 A Comparison of Seven Long-term Water Quality Datasets	5-2
5.1.1 Sampling Interval	5-8

5.1.2	Duration of Baseline Sampling	5-24
5.1.3	Effects of Discharge Behavior on Baseline Sampling	5-25
5.1.4	Year-to-Year Variability	5-26
5.2	The Effects of Natural Seasonal Variations and Mining Induced Changes in Long-term Monitoring Data	5-26
5.2.1	Markson Discharge	5-29
5.2.2	Tracy Discharge	5-35
5.2.3	Swatara Creek Monitoring Station	5-40
5.2.4	Jeddo Tunnel Discharge	5-42
5.3	Case Studies	5-45
5.3.1	Fisher Discharge	5-45
5.3.2	McWreath Discharge	5-51
5.3.3	Trees Mills Site	5-55
5.4	Conclusions	5-70
	References	5-72
Appendix A: Example Calculation of Statistical Methods Performed in BMP Analysis		A-1

List of Tables

Section 1.0 Introduction

Table 1.2a: Baseline Pollution Load Summary	1-8
--	-----

Section 2.0 Characteristics of Coal Mine Drainage Discharges

Table 2.0a: Examples of High Alkalinity in Pennsylvania Mines	2-4
--	-----

Section 3.0 Statistical Methodology for Establishing Baseline Conditions and Setting Discharge Limits at Remining Sites

Section 4.0 Baseline Sampling Duration and Frequency

Table 4.1a: Statistical Triggers as Modified for Final Regulation: Percentage of Discharges Declared to Exceed Baseline Level.	4-4
--	-----

Section 5.0 Long-term Monitoring Case Studies

Table 5.1a: Long Term Acid Mine Drainage Datasets	5-2
--	-----

Table 5.1b: Comparison of Median Acidity and Iron Loads by Sample Period and Interval.5-5	
--	--

Table 5.1c: Comparison of Median Acidity and Iron Loads by Baseline Sampling Year .. 5-7	
---	--

List of Figures

Section 1.0 Introduction

Figure 1.2a:	Algorithm for Analysis of Mine Drainage Discharge Data	1-7
Figure 1.2b:	The Quick Trigger Process	1-10
Figure 1.2c:	Dunkard Creek pH	1-12
Figure 1.2d:	Dunkard Creek Manganese	1-13

Section 2.0 Characteristics of Coal Mine Drainage Discharges

Figure 2.0a:	Distribution of pH in Bituminous Mine Drainage	2-7
Figure 2.0b:	Distribution of pH in Anthracite Mine Drainage	2-8
Figure 2.1a:	Annual Variability in Streamflow at Dunkard Creek	2-10
Figure 2.1b:	Sulfate Concentration vs. Streamflow at Dunkard Creek	2-12
Figure 2.2a:	Acidity vs. Streamflow in Arnot Mine Discharge	2-14
Figure 2.2b:	Inverse Loglinear Relationship between Acidity and Streamflow	2-15
Figure 2.2c:	Streamflow and Acidity in Schuylkill County	2-16
Figure 2.2d:	Streamflow and Acidity in Coal Refuse Pile	2-16
Figure 2.3a:	Frequency Distribution of Sulfate at Dunkard Creek	2-18
Figure 2.3b:	Stem-and-leaf Diagram of pH (Arnot 003)	2-20
Figure 2.3c:	Stem-and-leaf Diagram of Discharge	2-21
Figure 2.3d:	Stem-and-leaf Diagram of Log Discharge	2-21
Figure 2.3e:	Stem-and-leaf Diagram of Acidity	2-22
Figure 2.3f:	Stem-and-leaf Diagram of Log Acidity	2-22

Section 3.0 Statistical Methodology for Establishing Baseline Conditions and Setting Discharge Limits at Remining Sites

Figure 3.2a:	Method 1	3-6
Figure 3.2b:	Method 2	3-7

Section 4.0 Baseline Sampling Duration and Frequency

Section 5.0 Long-term Monitoring Case Studies

Figure 5.1a:	Arnot-3 Acidity Loading (1980-1981)	5-10
---------------------	---	------

Figure 5.1b: Arnot-3 Flow Data Comparison	5-10
Figure 5.1c: Arnot-3 Iron Load Data Comparison	5-11
Figure 5.1d: Arnot-3 Acidity Load Data Comparison	5-11
Figure 5.1e: Arnot-3 Monthly Flow Comparison	5-12
Figure 5.1f: Arnot-3 Monthly Acidity Load Comparison	5-12
Figure 5.1g: Arnot-4 Acidity Load Data Comparison	5-13
Figure 5.1h: Arnot-4 Acidity Load (1980-1983)	5-13
Figure 5.1i: Clarion Acidity Load Data Comparison	5-14
Figure 5.1j: Clarion Iron Load Data Comparison	5-14
Figure 5.1k: Clarion Acidity Load (1982-1986)	5-15
Figure 5.1l: Clarion Iron Load (1980-1983)	5-15
Figure 5.1m: Ernest Acidity Load Data Comparison	5-16
Figure 5.1n: Ernest Iron Load Data Comparison	5-16
Figure 5.1o: Ernest Acidity Load Data Comparison	5-17
Figure 5.1p: Ernest Acidity Load (1981-1985)	5-17
Figure 5.1q: Fisher Monthly Acidity Load	5-18
Figure 5.1r: Fisher Iron Load Data Comparison	5-18
Figure 5.1s: Fisher Acidity Load Data (1982-1987)	5-19
Figure 5.1t: Fisher Iron Load Data (1982-1987)	5-19
Figure 5.1u: Hamilton-8 Acidity Load Data Comparison	5-20
Figure 5.1v: Hamilton-8 Iron Load Data Comparison	5-20
Figure 5.1w: Hamilton-8 Acidity Load (1981-1985)	5-21
Figure 5.1x: Hamilton-8 Iron Load (1981-1985)	5-21
Figure 5.1y: Markson Acidity Load (1984-1986)	5-22
Figure 5.1z: Markson Iron Load (1984-1986)	5-22
Figure 5.1aa: Markson Acidity Load Data Comparison	5-23
Figure 5.1ab: Markson Iron Load Data Comparison	5-23
Figure 5.2a: Mine Discharge Map	5-28
Figure 5.2b: Markson Time Plot (Flow, pH, Acidity, Iron, Manganese, Sulfate)	5-30
Figure 5.2c: Markson Time Plot (Flow & Sulfate)	5-30
Figure 5.2d: Markson Time Plot (Flow & Acidity)	5-31
Figure 5.2e: Markson Time Plot (Flow & Iron)	5-32
Figure 5.2f: Markson Time Plot (Flow & Manganese)	5-32
Figure 5.2g: Markson Time Plot (Flow 1994-1997)	5-34
Figure 5.2h: Tracy Airway Time Plot (Flow, pH, Iron, Manganese, Sulfate)	5-35
Figure 5.2i: Tracy Airway (Flow 1994-1997)	5-37
Figure 5.2j: Tracy Airway (Flow & Sulfate)	5-37
Figure 5.2k: Tracy Airway (Flow & Iron)	5-38
Figure 5.2l: Tracy Airway (Flow, pH, Manganese)	5-39
Figure 5.2m: Swatara Creek Flow and Sulfate Data	5-41
Figure 5.2n: Swatara Creek Flow and Suspended Solids Data	5-41
Figure 5.2o: Swatara Creek Flow and Iron Data	5-42
Figure 5.2p: Jeddo Tunnel Discharge and Wapwallopen Creek Flow Data	5-43

Section 5.0 Long-term Monitoring Case Studies (cont.)

Figure 5.2q:	Jeddo Tunnel Flow Data	5-44
Figure 5.2r:	Precipitation Data From Hazleton, PA	5-44
Figure 5.3a:	Fisher Mining MP1 (Flow, Iron, Manganese, Sulfate)	5-47
Figure 5.3b:	Fisher Mining MP1 (Net Acidity)	5-48
Figure 5.3c:	Fisher Mining MP1 (Acid Load)	5-48
Figure 5.3d:	Fisher Mining MP1 (Iron Load)	5-49
Figure 5.3e:	Fisher Iron Load Box Plot	5-50
Figure 5.3f:	Fisher Net Alkalinity Box Plot	5-50
Figure 5.3g:	McWreath D1 (Flow, Net Acidity, Iron, Manganese, Sulfate)	5-52
Figure 5.3h:	McWreath D3 (Flow & Net Acidity)	5-53
Figure 5.3i:	McWreath D3 (Flow & Iron)	5-53
Figure 5.3j:	McWreath D4 (Flow & Net Acidity)	5-54
Figure 5.3k:	Trees Mills Site Map	5-56
Figure 5.3l:	Trees Mills Drill Hole Data	5-57
Figure 5.3m:	Trees Mills MP1 (Flow, Manganese, Aluminum, Net Acidity, Iron, Sulfate)	5-59
Figure 5.3n:	Trees Mills MP1 (Acid, Iron, Manganese Load)	5-60
Figure 5.3o:	Trees Mills MP2 (Flow, Iron, Manganese, Aluminum, Net Acidity, Sulfate)	5-61
Figure 5.3p:	Trees Mills MP2 (Acid, Iron, Manganese Load)	5-64
Figure 5.3q:	Trees Mills MP3 (Flow, Iron, Manganese, Aluminum, Net Acidity, Sulfate)	5-65
Figure 5.3r:	Trees Mills MP3 (Acid, Iron, Manganese Load)	5-67
Figure 5.3s:	Trees Mills MP6 (Acid, Iron, Manganese Load)	5-68
Figure 5.3t:	Porter Run (Alkalinity: Upstream & Downstream)	5-69
Figure 5.3u:	Beaver Run (Alkalinity: Upstream & Downstream)	5-70

